

# Journal of Magnetic Resonance

---

EDITOR : Wallace S. Brey, Jr.

EDITORIAL BOARD :

Jay M. Anderson  
E. Raymond Andrew  
F. A. L. Anet  
Edwin D. Becker  
H. J. Bernstein  
A. David Buckingham  
S. M. Castellano  
P. Diehl

Richard Ernst  
Ray Freeman  
David M. Grant  
R. K. Harris  
K. H. Hausser  
Paul S. Hubbard  
Charles S. Johnson, Jr.  
Masaji Kubo

George C. Levy  
Ralph Livingston  
H. M. McConnell  
Rex E. Richards  
Max T. Rogers  
Thomas A. Scott  
Bernard L. Shapiro  
J. B. Stothers

Volume 20, 1975



**ACADEMIC PRESS**  
**New York and London**

A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1975 by Academic Press, Inc.

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

*Made in Great Britain*

# CONTENTS OF VOLUME 20

NUMBER 1, OCTOBER 1975

T. J. BASTOW AND H. J. WHITFIELD. Nuclear Quadrupole Resonance of $^{69}\text{Ga}$ and $^{115}\text{In}$ in Chalcogenides $\text{MX}$ and $\text{M}_2\text{X}_3$ . . . . .	1
G. J. DEN OTTER AND C. MACLEAN. $^{13}\text{C}$ Satellites in the $^{19}\text{F}$ NMR spectra of <i>cis</i> - and <i>trans</i> -1,2-Difluoroethene Partially Oriented in Nematic Solvents . . . . .	11
J. G. BATCHELOR, J. FEENEY, AND G. C. K. ROBERTS. Carbon-13 NMR Protonation Shifts of Amines, Carboxylic Acids and Amino Acids . . . . .	19
R. S. SARASWAT AND G. C. UPRETTI. A Comparative EPR Study of $\text{Mn}^{2+}$ Doped in Magnesium, Cobalt and Nickel Acetate Tetrahydrate Single Crystals . . . . .	39
P. H. VON DREELE. Elements of the Chemical Shift Tensor and the Correlation Time from NMR or ESR Relaxation Measurements on Solutions . . . . .	47
DOUGLAS C. MCCAIN AND WILLIAM E. PALKE. Theory of Electron Spin $g$ -Values for Peroxy Radicals . . . . .	52
G. J. DEN OTTER, C. A. DE LANGE, AND J. BULTHUIS. An NMR Investigation of Partially Oriented $\text{CHF}_3$ and $\text{CH}_2\text{F}_2$ Including $^{13}\text{C}$ Satellites . . . . .	67
STEPHEN A. SPEARMAN AND J. H. GOLDSTEIN. NMR Studies of <i>p</i> -Dioxene Oriented in Two Lyotropic Mesophases . . . . .	75
HENRY I. MOSBERG, PAUL G. SCHMIDT, AND SALLY S. SEAVER. Specifically Deuterated L-Malate as an NMR Probe of the Aspartate Transcarbamylase Catalytic Site . . . . .	82
JAMES G. LINDBERG AND AMBROSE LEONG. Quantitative Estimation of Steric Effects. III. Substituent Constants and Steric Contributions to Chemical Shifts of Methyl Group Protons in Ring Iodinated Methylbenzenes . . . . .	89
W. M. THEIS, G. E. FREDERICKS, AND W. D. MCCORMICK. Proton Magnetic Resonance in Solid Ethane . . . . .	98
J. R. VRIESENKA AND J. GOODISMAN. Methyl Proton NMR Shifts of Coordinated Methanol in a Series of $\text{Co}(\text{CH}_3\text{OH})_5\text{X}^{2+}$ Compounds . . . . .	102
J. I. KAPLAN. NMR Determination of Hydrogen Distribution in Metals . . . . .	110
MARTIN M. DORIO AND JAMES C. W. CHIEN. Spin Diffusion in Electron-Electron Double Resonance . . . . .	114
EDMUND S. COPELAND. The Organosulfur Peroxy Radical in Biological Systems: An ESR Study Using an Amino-thiol Model System . . . . .	124
F. J. OWENS. EPR Observation of Proton Exchange on the $\text{AsO}_4^{-4}$ Radical in Ammonium Dihydrogen Phosphate . . . . .	130



M. M. DHINGRA, P. GANGULI, V. R. MARATHE, AND S. MITRA. Temperature Dependence of the Protein Magnetic Resonance Spectra of Halogenobis(N,N'-diethyldithiocarbamate) iron (III) . . . . .	133
B. A. HOWELL AND W. S. TRAHANOVSKY. Arene-Metal Complexes. IX. Carbon-13 NMR Spectra of Benzonorbornadiene, <i>syn</i> -( $\eta^6$ -Benzonorbornadiene)tricarbonylchromium, and ( $\eta^8$ -Benzonorbornadiene)dicarbonylchromium . . . . .	141
A. C. McLAUGHLIN, P. R. CULLIS, J. A. BERDEN, AND R. E. RICHARDS. $^{31}\text{P}$ NMR of Phospholipid Membranes: Effects of Chemical Shift Anisotropy at High Magnetic Field Strengths . . . . .	146
L. I. MEDVEDEV, N. K. ANDREEV, AND I. G. BIKCHANTAEV. Allowed and Forbidden Transitions in the ESR of Irradiated Oxalic Acid Dihydrate . . . . .	166
COMMUNICATIONS	
I. D. CAMPBELL, RAY FREEMAN, AND D. L. TURNER. Study of Transient Complexes in Solution by Means of a Motional Anisotropy Probe . . . . .	172
ANNA C. BALAZS AND JAY MARTIN ANDERSON. Nuclear Magnetic Relaxation in an Anisotropic Environment . . . . .	177
TED SCHAEFER. Correlation of Molecular Magnetic Susceptibility Anisotropy and Nuclear Spin-Spin Coupling Constants for Some Planar Ring Compounds . . . . .	182
J. R. BROOKEMAN, T. A. SCOTT, AND MARILYN M. McENNAN. Some Comments on the Temperature Dependence of NQR Frequencies of Solid Nitrogen and Chlorine . . . . .	187
BOOK REVIEWS	
"Electron Spin Resonance." By N. M. Atherton . . . . .	189
"Methods in Membrane Biology," Vol. 2. Edited by Edward D. Korn. "Evolving Strategies and Tactics in Membrane Research," by Donald F. H. Wallach and Richard J. Winzler . . . . .	190
ANNOUNCEMENTS AND NEWS ITEMS . . . . .	191

## NUMBER 2, NOVEMBER 1975

## EDITOR'S INTRODUCTION

J. L. RAGLE, M. MOKARRAM, D. PRESZ, AND G. MINOTT. Quadrupole Coupling of Deuterium Bonded to Carbon . . . . .	195
ROBIN L. ARMSTRONG. Pure Nuclear Quadrupole Resonance Studies of Structural Phase Transitions . . . . .	214

F. BORSA AND A. RIGAMONTI. Quadrupole Effects in High Magnetic Fields and Static and Dynamical Critical Phenomena at Structural Phase Transitions .	232
DAVID H. CURRENT. Soft Sphere Model for Nuclear Quadrupole Resonance: Application to $M_2SnCl_6$ ( $M = K^+, Rb^+, Cs^+$ ). . . . .	259
H. VARGAS, J. PELZL, J. LAUGIER, D. DAUTREPPE, AND J. P. MATTIEU. Investigation of Partially Hydrated and Anhydrous Barium Chlorate by NQR, X-Ray and Raman Measurements . . . . .	269
YOSHIO KUME, RYUICHI IKEDA, AND DAIYU NAKAMURA. Phase Transitions in Rhombohedral $(CH_3NH_3)_2MCl_6$ Crystals as Revealed by the NQR of Chlorine . . . . .	276
N. WEIDEN AND ALARICH WEISS. NMR and NQR Investigations of Nuclear Quadrupole Interactions in Alums. III. The Temperature Dependence of the Electric Field Gradient at the Site of $Me^I$ and $Me^{III}$ in the $\gamma$ -Alum $NaAl(SO_4)_2 \cdot 12H_2O$ . . . . .	279
R. J. C. BROWN, G. C. GILLIES, R. E. HALLIWELL, AND S. SEGEL. The Phase Transitions Near the Melting Point of $SbCl_3$ . . . . .	286
CONLEY STUTZ AND DOUGLAS EARLY. A Determination of the Isothermal Compressibility of $NaClO_3$ and $NaBrO_3$ using NQR Data . . . . .	293
PATRICK S. IRELAND AND THEODORE L. BROWN. A Nuclear Quadrupole Spin Echo and Double Resonance Study of $DMn(CO)_5$ . . . . .	300
J. C. PRATT, P. RAGHUNATHAN, AND C. A. McDOWELL. Transient Response of a Quadrupolar Spin-System in Zero Applied Field . . . . .	313
R. B. CREEL, E. D. VON MEERWALL, AND H. R. BROOKER. Zeeman Quadrupole Resonance Lineshapes in Powders, $H_1$ Perpendicular to $H_0$ . . . . .	328
N. WEIDEN AND ALARICH WEISS. A Double Resonance NQR Experiment in $Al_2Br_6$ . . . . .	334
A. COLLIGIANI, R. AMBROSETTI, AND P. DE LISI. A Microphonicity-free Robinson-type NQR Spectrometer Using Dual-gate MOSFETS . . . . .	341
RENÉ CLÉMENT, MICHEL GOURDJI, AND LUCIEN GUIBÉ. Study of Urea and Thio-urea Inclusion Compounds by NQR and NMR . . . . .	345
WILLIAM H. DALGLEISH, RODNEY KEAT, ANDREW L. PORTE, AND ROBERT A. SHAW. Chlorine-35 Nuclear Quadrupole Resonance Spectra of the Chlorocyclotriphosphazatrienes $N_3P_3Cl_6$ and $N_3P_3Cl_5NHP^{r1}$ . . . . .	351
WILLIAM H. DALGLEISH AND ANDREW L. PORTE. Chlorine-35 Nuclear Quadrupole Resonance Spectra of the Chlorocyclodiphosphazanes, $(Cl_3PNR)_2$ , and of the Chlorooxocyclodiphosphazanes, $(ClOPNR)_2$ . . . . .	359
J. D. GRAYBEAL, C. F. SHOEMAKER, AND T. GALLAHER. Nuclear Quadrupole Coupling in Copper(I) Coordination Compounds, Tris(trimethylphosphine-sulfide) Copper(I) Ion . . . . .	372




W. H. FREEMAN, S. B. MILLER, AND T. B. BRILL. Metal-Carbon Interactions in Organogallium and -Indium Compounds. A $^{13}\text{C}$ NMR and $^{69,71}\text{Ga}$ and $^{115}\text{In}$ NQR Study . . . . .	378
YOSHIO KAMISHINA. Molecular Structure and Molecular Motion of Solid Hydrazine . . . . .	388
I. A. KJUNZEL, V. A. MOKEEVA, G. B. SOIFER, AND I. G. SHAPOSHNIKOV. Nuclear Quadrupole Relaxation and $\text{PCl}_3$ Group Reorientations in Crystals . . . . .	394
A. AVOGADRO, G. BONERA, AND A. RIGAMONTI. Critical Dynamics at the Structural Phase Transitions in $\text{NaNO}_2$ and $\text{NaNbO}_3$ and Quadrupole Relaxation $T_1$ and $T_{1\rho}$ in High Fields . . . . .	399
CARLOS A. MARTÍN AND ROBIN L. ARMSTRONG. Chlorine Nuclear Quadrupole Resonance Investigation of the Cubic Antifluorite $\text{K}_2\text{OsCl}_6$ . . . . .	411
ALAIN PÉNEAU AND LUCIEN GUIBÉ. Temperature Dependence of Relaxation Times and Nuclear Quadrupole Resonance in <i>p</i> -Chloroaniline . . . . .	422
J. WEBER, V. A. GUBANOV, AND A. A.V. GIBSON. Molecular Orbital Calculations of Electric Field Gradients at Halogen Nuclei in Solid Chlorine and Bromine . . . . .	427

### NUMBER 3, DECEMBER 1975

GERHARD WAGNER AND KURT WÜTHRICH. Proton NMR Studies of the Aromatic Residues in Bovine Pancreatic Inhibitor (BPTI) . . . . .	435
CAROLYN M. NEWTON AND DONALD G. DAVIS. ESR and Electrochemical Studies of Some Transition Metal Porphyrins . . . . .	446
RICHARD F. HOBSON AND REINHOLD KAISER. Some Effects of Radiation Feedback in High Resolution NMR . . . . .	458
L. KIMTYS AND P. MIKULSKIS. A Proton Magnetic Resonance Study of Hydrogen Bonding and Self-Association Processes of Trimethylacetic Acid . . . . .	475
ROLF SJÖBLUM AND JÖRGEN TEGENFELDT. Hydrogen Bond Studies. 107. A Proton Magnetic Resonance Study of Molecular Motion in Solid Trimethylammonium Iodide, Bromide, and Hydrogen Oxalate . . . . .	484
ROLF SJÖBLUM AND MATTI PUNKKINEN. Hydrogen Bond Studies. 108. A Nuclear Magnetic Relaxation Study of Molecular Motion in Solid Trimethylammonium Iodide, Bromide, Chloride, and Hydrogen Oxalate . . . . .	491
D. T. EDMONDS, M. J. HUNT, AND A. L. MACKAY. Deuteron Interactions in Pure Quadrupole Resonance . . . . .	505
D. T. EDMONDS AND A. L. MACKAY. The Pure Quadrupole Resonance of the Deuteron in ice . . . . .	515

M. HANSEN AND H. J. JAKOBSEN. Complete Analysis of the High-Resolution Proton Coupled Carbon-13 NMR Spectra of Toluene . . . . .	520
H. KENNETH LADNER, JENS J. LED, AND DAVID M. GRANT. Deuterium Isotope Effects on $^{13}\text{C}$ Chemical Shifts in Amino Acids and Dipeptides . . . . .	530
W. B. MONIZ, C. F. PORANSKI, JR., AND S. A. SOJKA. Application of the Additivity Theorem in Fourier Transform NMR. III. Resolution Enhancement in the Boron-11 Spectrum of Pentaborane-9 . . . . .	535
P. M. BROWN, N. R. KRISHNA, AND S. L. GORDON. Proton Spin Relaxation in the Halomethanes . . . . .	540
LUDGER ERNST. $^{13}\text{C}$ NMR Spectroscopy of Polycyclic Aromatics. V. The $^{13}\text{C}$ NMR Spectra of Mono- and Dihalonaphthalenes . . . . .	544
LAWRENCE G. WERBELOW AND DAVID M. GRANT. Transverse Relaxation of Three Identical Spin-1/2 Nuclei Subject to Shift Anisotropy Interactions . . . . .	554
COMMUNICATIONS	
GERHARD WAGNER, ANTONIO DE MARCO AND KURT WÜTHRICH. Convolution Difference $^1\text{H}$ NMR Spectra at 360 MHz of the Basic Pancreatic Trypsin Inhibitor . . . . .	565
J. B. STOTHERS, C. T. TAN, AND K. C. TEO. Contrasting Trends in the $^{13}\text{C}$ Shielding Effects of Neighboring Substituents. An Aid for Stereochemical Assignments . . . . .	570
JOSEPH B. LAMBERT AND DANIEL A. NETZEL. Nitrogen-15 Spin-Lattice Relaxation by Spin-(Internal Rotation) . . . . .	570
AUTHOR INDEX FOR VOLUME 20 . . . . .	578
SUBJECT INDEX FOR VOLUMES 17-20 . . . . .	580



Digitized by the Internet Archive  
in 2023 with funding from  
Kahle/Austin Foundation



## Information for Authors

The *Journal of Magnetic Resonance* includes original papers, both full articles and communications, dealing with the theory, techniques, methods of spectral analysis and interpretation, spectral correlations, and results of magnetic resonance spectroscopy and related fields. Submission of a manuscript to the *Journal* implies that none of the content has been published or is under consideration for publication elsewhere, except as specifically indicated by the author. The Editor seeks the assistance of expert referees in the evaluation of manuscripts of articles, but he alone is responsible for the final decision concerning acceptance.

Communications are preliminary accounts of work of special importance or contain discussion of controversial subjects. Communications must be especially carefully and concisely prepared; since they may not be refereed, it is the responsibility of the author to ensure that the manuscript as originally submitted is free of typographical or substantive errors. To save time in publication, proofs of communications are not sent to the authors for correction.

Fifty reprints of each paper are supplied without charge, and additional reprints may be ordered on a form which is sent to the author. For articles, the reprint order form accompanies the galley proofs which the author receives. The *Journal assesses no page or publication charges*.

All manuscripts and books for review should be sent to the Editor, Wallace S. Brey, Department of Chemistry, University of Florida, Gainesville, Florida 32611.

### Arrangement of the Paper

If the paper is lengthy, it should be divided into sections, although it is preferred that the sections not be numbered. Tables are numbered consecutively with *Arabic* numerals and are to be mentioned in order in the text. Each table should be supplied with a title. Figures are also numbered consecutively with *Arabic* numerals and are mentioned in order in the text. Each regular article requires an abstract which should describe concisely the substantive content, the conclusions reached, and the contributions of the research described. Since the abstract may be used directly by Chemical Abstracts and other abstracting services, it must be self-contained, having no references to formulas, equations, or bibliographic citations which appear in the body of the manuscript.

Literature references are cited in numerical order in the text by *in-line, parenthesized, italic* numerals. References to "unpublished" or "to be published" work from the author's laboratory should not be given. However, dissertations may be cited, or papers actually accepted may be referred to as "in press" if the name of the journal is included.

Authors are urged to give careful thought to the logical construction of the manuscript, so that explanatory or parenthetical footnotes need not be employed—where possible, such material should be incorporated in the text. Any footnotes which are indispensable are not intermixed with references, but are indicated in the text by consecutive, superscript numerals, and each footnote will then appear in print at the bottom of the page on which it is cited. Equation numbers are given in *square* brackets to the right of the equation, and references in the text to equations should be in the form "Eq. [3]."

### Form of Manuscript

Manuscripts should be submitted in triplicate. The *original typewritten copy* should be supplied; mimeo, electrostatic, and similar process reproductions are not usually sufficiently clear. All of the typing must be *double-spaced*, including that of abstract, references, and footnotes, on one side of good quality paper approximately 22 × 28 cm (8.5 × 11 in.) in dimensions. The first line of each paragraph is indented.

Each page of the manuscript should be numbered. The first page contains the article title, the author's name, and affiliation. At the bottom of this page should appear any footnotes to the title (indicated by superscript \*, †, ‡); the number of manuscript pages, figures, and tables should also be noted. The second page should contain the abstract of 50–200 words and a proposed running head (abbreviated title) of less than 42 characters.

*Symbols and Abbreviations.* The American Chemical Society's Handbook for Authors, 1967 edition, or the Style Manual of the American Institute of Physics should be followed for standard abbreviations, names, and symbols for units. Mathematical equations or symbols must be typewritten whenever possible. Greek letters may be identified in pencil in the margin. The author of any manuscript in

which there are mathematical equations or symbols is urged to supply a list of these on a separate sheet for the assistance of the printer in selecting the proper type. The list will not appear in print.

*References and Footnotes.* References to the literature should be cited in order in the text by in-line, parenthesized numerals. The references themselves are to be typed double-spaced on a separate sheet in numerical order. Each reference contains the author's initials, last name, journal name, volume, initial page number, and year in parentheses, *in that order*. The name of the journal is abbreviated in the style of Chemical Abstracts' *Service Source Index* (1969 Edition). For book references, the form is author's name, name of the book in quotation marks, editor's name (if any), edition if other than the first, chapter or page number, publisher's name, place of publication, and year of publication.

Any footnotes which are included are numbered in a sequence separate from the references and must be typed in the manuscript on a separate page.

*Tables.* Tables should be laid out carefully, so that minimum space is used and entries are accurately grouped and clearly labeled. Usually, a table should be arranged vertically, with more rows than columns. Vertical lines are not used to separate the columns. Each table is numbered with an Arabic numeral, provided with a title, and typed on a separate sheet of paper. Footnotes to the table are placed directly below it and are indicated by superscript, lower-case, italic letters (<sup>a</sup>, <sup>b</sup>, <sup>c</sup>). Tables that are longer than two manuscript pages will be reproduced photographically, and should therefore be typed in the exact form desired. All such tables should be carefully checked since errors cannot be corrected in proof.

*Figures.* Figures must be carefully drawn in black, waterproof drawing ink, to draftsman's standards, with lettering by stencil or drawing machine. Freehand, penciled, or typewritten lettering is not acceptable. Lettering should include numerical scales and units required for the two axes, and should be large enough to be legible after reduction by 50–60%. The illustration copy should be on sheets of the same size as that on which the manuscript is typed. Smaller figures may be mounted on sheets of the required size, and larger originals may be handled by supplying glossy, high-contrast, photographic reductions. The original and two duplicates of each figure are required.

*Diagrams.* Ink drawings should be supplied for any complex molecular formulas or diagrams involving material which the printer cannot readily set in type.

*Proofs.* Galley proofs will be sent to the author with reprint order forms. Fifty reprints of each article will be supplied free of charge.